



For immediate release

Cartier Cuts 4.7 g/t Au over 5.1 m Including 17.7 g/t Au over 0.5 m at Chimo Mine

Val-d'Or, February 14th, 2018 – Cartier Resources Inc. (TSX-V: ECR) ("Cartier") is pleased to announce new results from its ongoing 30,000-m drill program on the Chimo Mine property, situated 45 km east of Val-d'Or. These new results were intersected at a depth of 650 m along the extensions of Zones 5N and 5M.

Intersections grading **4.7 g/t Au over 5.1 m** including **17.7 g/t Au over 0.5 m** and **9.6 g/t Au over 1.1 m** were intersected 40 m below stopes of Zone 5N ([FIGURE](#)). Also, intersections grading **1.9 g/t Au over 13.0 m** including **3.8 g/t Au over 3.0 m** were intersected 20 m below stopes of Zone 5M. The drill holes were designed to cut several gold-bearing structures and they were lengthened to explore the potential depth extensions of the gold Zones below past-producing stopes. The new gold-bearing intersections as well as additional gold-bearing intervals of interest are presented in the table below.

Drill Hole	From (m)	To (m)	Length (m)	Au (g/t)	Gold Zone	Gold Structure
CH17-27	685.7	690.8	5.1	4.7	5N	5N
<i>Including</i>	685.7	686.2	0.5	17.7		
<i>Including</i>	689.7	690.8	1.1	9.6		
CH17-28	748.5	757.0	8.5	1.0	5M	5M
<i>Including</i>	748.5	749.0	0.5	4.4		
CH17-29	834.0	847.0	13.0	1.9	3	3
<i>Including</i>	840.0	843.0	3.0	3.8		
CH17-28	626.0	630.0	4.0	2.1	3	3
<i>Including</i>	628.0	629.0	1.0	4.6		

Lengths are expressed along drill core axis. The true thickness was not determined.

« The results demonstrate that, below the stopes of Zones 5N and 5M, gold mineralisation continues with characteristics showing the potential to delineate additional gold resources » commented Philippe Cloutier, President and CEO of Cartier.

The gold-bearing intersections are characterized with biotite-chlorite alteration and mineralization consisting of visible gold grains, arsenopyrite and/or pyrrhotite mineralization, smoky and/or white quartz veining. All other assay results from the four drills active on the property are still pending.

A [3D VIDEO](#), also available on Cartier's website, helps visualize the different gold-bearing structures on the Chimo Mine property as well as key components that are the mine infrastructures, the gold-bearing zones, the gold intersection areas left unmined as well as the 281 targets of the ongoing drill program. The 5N and 5M Structures are presented in the video.

Quality Assurance / Quality Control

All lengths, mentioned in this press release, were measured along the drill core. The NQ core samples are crushed up to 80% passing 8 mesh sieves and then pulverized up to 90% passing a 200-mesh sieve. Cartier inserts 5% of the number of samples in the form of certified standards and another 5% in the form of sterile samples to ensure quality control. The samples are analyzed at the Techni-Lab laboratory (Actlabs), located in Ste-Germaine-Boulé, Quebec. The 50 g pulps are analyzed by fire assay and atomic absorption. For samples containing visible gold, 1000 g of rock are directly analyzed by the "Metallic Sieve" method.

The scientific and/or technical information presented in this press release has been reviewed and approved by Mr. Gaétan Lavallière, P. Geo., Ph. D. and Vice President for Cartier Resources. Mr. Lavallière is a qualified person as defined by National Instrument 43-101.

-30-

For more information, please contact:

Philippe Cloutier, P. Geo.

President and CEO

Telephone: 819 856-0512

philippe.cloutier@ressourcescartier.com

www.ressourcescartier.com

Investor Relations:

Relations Publiques Paradox

514 341-0408

Neither the TSX Venture Exchange nor its regulatory services provider accepts responsibility for the adequacy or accuracy of this press release.