



## DRILL HOLES BEST RESULTS

Drill Hole	From m	To m	Length m	Cu %	Zn %	Ag g/t	Au g/t
<b>4CW-92-1</b>	63,4	65,5	2,1	<b>3,07</b>	<b>5,07</b>	<b>124,8</b>	0,31
<b>LAN-11-02</b>	38,0	41,5	3,5	<b>1,73</b>	<b>3,70</b>	<b>52,8</b>	0,37
<b>4CW-92-8</b>	108,8	109,9	1,1	<b>1,70</b>	<b>7,70</b>	<b>48,0</b>	0,01
<b>LAN-11-06</b>	57,0	59,1	2,1	<b>1,64</b>	<b>5,84</b>	<b>40,6</b>	0,01
<b>4CW-92-12</b>	182,4	188,1	5,7	0,28	0,08	<b>63,9</b>	<b>1,12</b>

## CHANNEL SAMPLES BEST RESULTS

Channel	Length m	Cu %	Zn %	Ag g/t	Au g/t
<b>R2</b>	21,0	<b>1,63</b>	0,34	<b>48,0</b>	0,23
<b>R3</b>	53,0	<b>1,07</b>	<b>1,07</b>	<b>34,3</b>	0,16
incluant	16,0	<b>2,31</b>	<b>2,56</b>	<b>63,7</b>	0,18
<b>R5B</b>	3,0	<b>3,17</b>	<b>10,11</b>	<b>59,5</b>	0,31
<b>R9</b>	1,0	0,13	0,18	<b>237,0</b>	<b>6,58</b>
<b>R12</b>	7,0	0,33	0,51	<b>109,3</b>	0,95

### Quality Assurance / Quality Control

The scientific and/or technical information presented in this document has been reviewed and approved by Mr. Gaétan Lavallière, P. Geo., Ph. D., and Vice President for Cartier Resources. Mr. Lavallière is a qualified person as defined by National Instrument 43-101.

*All drill hole and channel intersection lengths referred in this document are measured along the core and channel axis.*