


W

E

Longitudinal Section of Toussaint Deposit (Looking North)



**21.3 g/t Au / 5.0 m
incl. 90.6 g/t Au / 1.0 m**

**VP-11-05
6.3 g/t Au / 7.0 m
incl. 32.3 g/t Au / 1.0 m**

**VP-92-10
10.5 g/t Au / 4.8 m
incl. 34.3 g/t Au / 0.8 m
incl. 20.4 g/t Au / 0.7 m**

**VP-11-11
33.2 g/t Au / 3.0 m
incl. 164.5 g/t Au / 0.6 m**

**VP-93-21
7.4 g/t Au / 3.0 m
incl. 18.9 g/t Au / 1.0 m**

**VP-94-45
20.2 g/t Au / 2.6 m
incl. 32.2 g/t Au / 1.1 m**

**VP-93-22
2.0 g/t Au / 41.4 m
incl. 12.6 g/t Au / 1.0 m
incl. 11.7 g/t Au / 5.2 m**

**VP-11-18
1.5 g/t Au / 67.0 m
incl. 30.1 g/t Au / 1.0 m
incl. 12.5 g/t Au / 1.0 m
incl. 24.5 g/t Au / 1.0 m**

**VP-94-54
5.8 g/t Au / 4.1 m
incl. 13.0 g/t Au / 0.5 m
incl. 11.7 g/t Au / 0.5 m**

Legend

Gold Value (g/t) x True Thickness (m)	Pierce Point of Drill Hole
> 15	Mineralized Zone
10 - 15	Unmineralized Zone
5 - 10	
1 - 5	

Quality Assurance / Quality Control

The scientific and/or technical information presented in this document has been reviewed and approved by Mr. Gaétan Lavallière, P. Geo, Ph. D and Vice-President for Cartier Resources. Mr. Lavallière is a qualified person as defined by National Instrument 43-101.

All drill hole or channel intersection lengths referred in this document are measured along the core or channel axis.

