


EAST CADILLAC PROPERTY 2024 HIGH-GRADE GOLD RESULTS PLAN VIEW

NOVEMBER 20, 2024



PORTAL
13.7/0.5 incl. 4.7/4.5
5.9/1.5
12.5/2.0 incl. in 7.2/8.0
7.2/0.5

241.0/0.6 incl. in 35.3/4.4

NORTH CONTACT
14.7/4.3 incl. in 5.2/20.6
6.3/4.0 incl. in 3.0/15.0
5.7/4.0 incl. 15.0/1.0


8 km

17.9/1.0 incl. in 11.0/2.8

VG9
20.2/1.0 incl. in 11.2/2.0
9.1/1.0
13.5/1.0 incl. in 7.7/2.0

VG10
142.2/0.5 incl. in 74.4/1.0
137.4/0.5 incl. in 69.5/1.0
24.1/0.5
22.3/1.0
12.8/0.5 incl. in 8.0/1.2
46.1/0.5 incl. in 13.2/2.3
20.6/0.5 incl. in 7.5/2.0

EAST BATEMAN
60.1/0.5
20.2/1.0 incl. in 11.4/3.0
20.2/0.6 incl. in 5.0/3.2



- Larder Lake – Cadillac Fault Zone
- Chimo Mine Gold Resources**
- Gold Anomaly (Drill Target)
- Original Chimo Mine Property

- DRILLING RESULTS**
- New Gold Results (g/t Au / m)*
 - 2024 Previous Results (g/t Au / m)
 - Historical Results (g/t Au / m)

* The scientific and technical information of the company have been prepared and reviewed by Gaétan Lavallière P.Geo., Ph.D., Vice-President and Ronan Déroff, P.Geo., M.Sc., Senior Geologist, Project Manager and Geomatician, Qualified Persons as defined by NI 43-101. Mr. Lavallière approved the information. The analytical results, derived from Cartier's drilling, were obtained from samples measured along the drill core. The estimated true thickness averages are about 65% à 75% of the measured length. The estimated true thickness averages are about 20% of the measured length for the new results north of Portal Zone (241.0/0.6 incl. in 35.3/4.4).

** NI 43-101 Mineral Resources Estimate for Chimo Mine and West Nordeau Gold Deposits, Québec, Canada, Vincent Nadeau-Benoit, P.Geo., Alain Carrier, P.Geo., M.Sc. and Marc R. Beauvais, P.Eng., InnovExplo Inc., August 22, 2022.

*** Isocontours of the gold grade are modeled using a minimum mining width of 2.4 m.

1 km